



LABORATORY TESTING INC.

2331 Topaz Drive, Hatfield, PA 19440
Phone: 800-219-9095 ♦ Fax: 800-219-9096

Certified Test Report

SII006-07-09-28155-1



SOLD TO

Sonotech, Incorporated
774 Marine Drive
Bellingham, WA 98225

SHIP TO

Sonotech, Incorporated
P.O. Box 2189
Bellingham, WA 98227-2189
ATTN: Judy Foley

CUSTOMER P.O.

7933

CERTIFICATION DATE

10/10/2007

SHIP VIA

FAX AND MAIL

DESCRIPTION

Quantity: 1
Certification for: 072-U
Covering: Ultragel II - 07225,
Sonotrace 40 - 07243
Sonotrace 30 - 07242
Sonotrace 20 - 07241

The submitted sample was analyzed in accordance with Customer's Instructions with the following results:

<u>ELEMENT</u>	<u>072-U</u>
Fluoride	7. ppm
Chloride+Bromide+Iodide	< 1. ppm
Total Halogens	7. ppm
Total Sulfur	3. ppm

The services performed above were done in accordance with LTI's Quality System Program Manual Revision 18 dated 7/27/07 and ISO/IEC 17025. These results relate only to the items tested and this report shall not be reproduced, except in full, without the written approval of Laboratory Testing, Inc. L.T.I. is accredited by NADCAP to ISO/IEC 17025, Material's Testing and NDT (MT, PT and UT). The results reported on this test report represent the actual attributes of the material tested and indicate full compliance with all applicable specification and contract requirements.

MERCURY CONTAMINATION: During the testing and inspection, the product did not come in direct contact with mercury or any of its compounds nor with any mercury containing devices employing a single boundary of containment.

NOTE: The recording of false, fictitious or fraudulent statements or entries on this document may be punishable as a felony under Federal Statutes.

Sherri L. Scheifele
QA Specialist

By: _____
Authorized Signature