



LABORATORY TESTING INC.

2331 Topaz Drive, Hatfield, PA 19440
Phone: 800-219-9095 • Fax: 800-219-9096

Certified Test Report

SII006-08-02-04782-1



SOLD TO

Sonotech, Incorporated
774 Marine Drive
Bellingham, WA 98225

SHIP TO

Sonotech, Incorporated
P.O. Box 2189
Bellingham, WA 98227-2189
ATTN: Judy Foley

CUSTOMER P.O.

8070

CERTIFICATION DATE

2/20/2008

SHIP VIA

FAX AND MAIL

DESCRIPTION

Quantity: 1
Certification for: 073-EXP
Covering: Echogel 14 XP - 07372 and Echogel 20 XP - 07373
Test Methods: ASTM D808, ASTM D129, ASTM D512

The submitted sample was analyzed in accordance with Customer's Instructions with the following results:

<u>ELEMENT</u>	<u>ACTUAL</u>
Total Fluoride	< 1. ppm
Chloride+Bromide+Iodide	1. ppm
Total Sulfur	20. ppm
Total Halogens	1. ppm

Procedures/Methods: 86-WC-1, Rev. 1, Analysis by Classical Wet Chemistry and MAS-ICP, Rev. 5, Analysis of Metals & Their Alloys by ICP

The services performed above were done in accordance with LTI's Quality System Program Manual Revision 18 dated 7/27/07 and ISO/IEC 17025. These results relate only to the items tested and this report shall not be reproduced, except in full, without the written approval of Laboratory Testing, Inc. L.T.I. is accredited by PRI to ISO17025 and by Nadcap for NDT and Materials Testing for the test methods and specific services as listed in the Scopes of Accreditation available at www.labtesting.com and www.eAuditNet.com. The results reported on this test report represent the actual attributes of the material tested and indicate full compliance with all applicable specification and contract requirements.

MERCURY CONTAMINATION: During the testing and inspection, the product did not come in direct contact with mercury or any of its compounds nor with any mercury containing devices employing a single boundary of containment.

NOTE: The recording of false, fictitious or fraudulent statements or entries on this document may be punishable as a felony under Federal Statutes.

Sherri L. Scheifele
QA Specialist

By: _____
Authorized Signature