



Certified Test Report

SII006-10-03-09057-1



2331 Topaz Drive, Hatfield, PA 19440
TEL: 800-219-9095 • FAX: 800-219-9096

SOLD TO

Sonotech, Incorporated
774 Marine Drive
Bellingham, WA 98225

SHIP TO

Sonotech, Incorporated
774 Marine Drive
Bellingham, WA 98225
ATTN: Roger Claire

CUSTOMER P.O.

31710

CERTIFICATION DATE

3/26/2010

SHIP VIA

EMAIL AND MAIL

DESCRIPTION

Quantity: 1
Certification for: 101-U
Covering: Ultragel II #10125, Sonotrace 40 #10143, Sonotrace 30 #10142
Test Methods: ASTM D808, ASTM D129, ASTM D512, ASTM D-1179

The submitted sample was analyzed in accordance with Customer's Instructions with the following results:

<u>ELEMENT</u>	<u>ACTUAL</u>
Total Chlorides (Cl+Br+I)	13. ppm
Total Fluoride	15. ppm
Total Halogens	28. ppm
Total Sulfur	12. ppm

Procedures/Methods: 86-WC-1, Rev. 2, Analysis by Classical Wet Chemistry and MAS-ICP, Rev. 8, Analysis of Metals & Their Alloys by ICP

The services performed above were done in accordance with LTI's Quality System Program Manual Revision 18 dated 7/27/07 and ISO/IEC 17025. These results relate only to the items tested and this report shall not be reproduced, except in full, without the written approval of Laboratory Testing, Inc. L.T.I. is accredited by PRI to ISO17025 and by Nadcap for NDT and Materials Testing for the test methods and specific services as listed in the Scopes of Accreditation available at www.labtesting.com and www.eAuditNet.com. The results reported on this test report represent the actual attributes of the material tested and indicate full compliance with all applicable specification and contract requirements.

MERCURY CONTAMINATION: During the testing and inspection, the product did not come in direct contact with mercury or any of its compounds nor with any mercury containing devices employing a single boundary of containment.

NOTE: The recording of false, fictitious or fraudulent statements or entries on this document may be punishable as a felony under Federal Statutes.

Frank Peszka
QA Manager

Authorized Signature